



Euromed Rules of Origin- Euratex Position

EURATEX, representing the Customs Union textile and clothing industry, after a long, constructive internal debate managed to reach a proposal, attached (annex 1), that can be supported by a vast part of the industry in view of strengthening the future competitiveness of the textile and clothing sector.

This proposal should ensure that the textile and clothing value chain in the EU and in the Euromed zone improve their overall competitiveness by facilitating interconnections and leveraging vicinity and increasing economical and social ties. At the same time, we are providing the sector operators a modern set of rules of origin, taking into consideration the recent business and technological developments.

During their work, EURATEX members have taken into consideration: the current GSP rules of origin (based on the double transformation principle and on the processes); the suggestion to propose a clearer definition to specific processing activities and where possible modernise the current rules in order to adapt to the new industrial reality of the sector. Finally, the basic philosophy upon which the industry has worked is to maintain weaving and knitting as central pillars of the future Euromed rules of origin as a way to foster European competitiveness.

While being conscious that the end result might be slightly different due to the negotiating process, EURATEX would like to stress that the following points are key for a positive assessment of the process results:

- (a) The negotiation of new preferential rules of origin in the context of the Convention is turning into reality the objective of creating a stronger and better integrated Euromed area. In this context it is paramount to ensure that economic operators will benefit from an equal and dependable treatment in the interpretation and enforcement of the rules of origin both for Exports and Imports across the area.
- (b) In order to ensure that the preferential rules of origin are developing abreast to the technological developments resulting from the huge efforts made in terms of R&D and innovation by the EU companies, it is suggested that the Convention includes a review clause (every 3 years). Such provision should allow taking into consideration the technological developments and better responding to business reality, thus making rules more useful to companies.
- (c) For the sake of coherence, the EU industry would like to stress that in order to maintain the attractiveness of the region and the value chain, the EU textile and clothing industry is strongly opposing the idea of providing single transformation for making-up within the Euromed area. We believe that such decision, if taken, would be highly detrimental to the spirit of the Convention and of the Free Trade Area whose benefits must first of all be tangible for the inner partners.
- (d) Considering the opportunities included in the proposal, compared to today's rules, EURATEX considers that both the attached proposal and the final agreed rules should be dealt within the context of the diagonal cumulation.
- (e) Moreover the existing tolerances should also remain unchanged.



Revision of the Euromed Rules of Origin in the context of the Euromed Convention

EURATEX position

Nota Bene

1. Please do note that under 5909 to 5911 (Woven fabrics, of a kind commonly used in papermaking or other technical uses, felted or not, whether or not impregnated or coated, tubular or endless with single or multiple warp and/or weft, or flat woven with multiple warp and/or weft of heading 5911) in our approach, it would be logical to simplify the exceptions provided in the current rule as the combination of processes proposed should allow to use such fibres and yarns without restrictions and without impinging on the origin conferring process.
2. Please note that the same reasoning could be applicable to the current rule of chapter 57 but for the moment we do not have a clear understanding of the implications of the proposed changes on those specific provisions; hence, part of the proposed rules are put into brackets.
3. Note that we have included for Headings 6301 to 6304 a clarification regarding Making up preceded by Printing since the same Rule that exists already for Garments should also be applied to Home Textiles as a matter of consistency and coherence. This is a mere explanation of what is already the current rule and the business practice.

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex Chapter 50	Silk; except for:	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product
ex 5003	Silk waste (including cocoons unsuitable for reeling, yarn waste and garneted stock), carded or combed	Carding or combing of silk waste	Carding or combing of silk waste	Carding or combing of silk waste
5004 to ex 5006	Silk yarn and yarn spun from silk waste	Manufacture from (7): – raw silk or silk waste, carded or combed or otherwise prepared for spinning, – other natural fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper-making materials	Spinning of natural fibres OR extrusion of man-made fibres accompanied by spinning	Spinning of natural fibres OR extrusion of man-made continuous filament combined with spinning OR twisting
5007	Woven fabrics of silk or of silk waste			
	– Incorporating rubber thread	Manufacture from single yarn (7)	Weaving	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn OR twisting, in each case combined with weaving OR Weaving combined with dyeing OR Yarn dyeing combined with weaving OR (NEXT PAGE)

HS heading	Description of product	Current rule 18.5.2006 EN Official Journal of the European Union L 131/41	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5007 (follow)	– Other	<p>Manufacture from (7):</p> <ul style="list-style-type: none"> – coir yarn, – natural fibres, – man-made staple fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper <p>or</p> <p>Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatising, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product</p>	<p>Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn, in each case accompanied by weaving</p> <p>or</p> <p>Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatising, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product</p>	<p>(FOLLOW UP OF PREVIOUS PAGE)</p> <p>OR</p> <p>Weaving combined with printing (1)</p> <p>(1) The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations <p>OR</p> <p>Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatising, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex Chapter 51	Wool, fine or coarse animal hair; horsehair yarn and woven fabric; except for:	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product
5106 to 5110	Yarn of wool, of fine or coarse animal hair or of horsehair	Manufacture from (7): – raw silk or silk waste, carded or combed or otherwise prepared for spinning, – natural fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper-making materials	Spinning of natural fibres OR extrusion of man-made fibres accompanied by spinning	Spinning of natural fibres OR extrusion of man-made fibres combined with spinning
5111 to 5113	Woven fabrics of wool, of fine or coarse animal hair or of horsehair: – Incorporating rubber thread	Manufacture from single yarn (7)	Weaving	<p>Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn, in each case combined with weaving OR Weaving combined with dyeing OR Yarn dyeing combined with weaving OR Weaving combined with printing (1) (1) The following hypotheses <u>do not qualify under this rule</u></p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations <p>OR (NEXT PAGE)</p>

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5111 to 5113 (follow)	– Other	<p>Manufacture from (7):</p> <ul style="list-style-type: none"> – coir yarn, – natural fibres, – man-made staple fibres, not carded <p>or</p> <p>combed or otherwise prepared for spinning,</p> <ul style="list-style-type: none"> – chemical materials or textile pulp, or – paper <p>or</p> <p>Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the ex works price of the product</p>	<p>Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn, in each case accompanied by weaving</p> <p>or</p> <p>Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the ex works price of the product</p>	<p>(FOLLOW UP OF PREVIOUS PAGE)</p> <p>OR</p> <p>Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex Chapter 52	Cotton; except for:	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product
5204 to 5207	Yarn and thread of cotton	Manufacture from (7): – raw silk or silk waste, carded or combed or otherwise prepared for spinning, – natural fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper-making materials	Spinning of natural fibres OR extrusion of man-made fibres accompanied by spinning	Spinning of natural fibres OR extrusion of man-made fibres combined with spinning
5208 to 5212	Woven fabrics of cotton			
	– Incorporating rubber thread	Manufacture from single yarn (7)	Weaving	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn , in each case combined with weaving OR Weaving combined with dyeing or with coating or with laminating OR Yarn dyeing combined with weaving OR Weaving combined with printing (1)
5208 to 5212 (follow)	– Other	Manufacture from (7): – coir yarn, – natural fibres, – man-made staple fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn, in each case accompanied by weaving or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	(1) The following hypotheses <u>do not qualify under this rule</u> : - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations OR (NEXT PAGE)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5208 to 5212 (follow)	(see page before)		(see page before)	<p>(FOLLOW UP OF PREVIOUS PAGE)</p> <p>OR</p> <p>Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex Chapter 53	Other vegetable textile fibres; paper yarn and woven fabrics of paper yarn; except for:	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product
5306 to 5308	Yarn of other vegetable textile fibres; paper yarn	Manufacture from (7): – raw silk or silk waste, carded or combed or otherwise prepared for spinning, – natural fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper-making materials	Spinning of natural fibres or extrusion of man-made fibres accompanied by spinning	Spinning of natural fibres OR extrusion of man-made fibres combined with spinning
5309 to 5311	Woven fabrics of other vegetable textile fibres; woven fabrics of paper yarn:			
	– Incorporating rubber thread	Manufacture from single yarn (7)	Weaving	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn , in each case combined with weaving OR Weaving combined with dyeing or with coating or with laminating OR Yarn dyeing combined with weaving OR Weaving combined with printing (1) (1) The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations OR (NEXT PAGE)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5309 to 5311 (follow)	– Other	Manufacture from (7): – coir yarn, – jute yarn, – natural fibres, – man-made staple fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn , in each case accompanied by weaving or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the ex works price of the product	(FOLLOW UP OF PREVIOUS PAGE) OR Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product. The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5401 to 5406	Yarn, monofilament and thread of manmade filaments	Manufacture from (7): – raw silk or silk waste, carded or combed or otherwise prepared for spinning, – natural fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper-making materials	Extrusion of man-made fibres accompanied by spinning OR spinning of natural fibres	Extrusion of man-made fibres combined with spinning OR Spinning of natural fibres
5407 and 5408	Woven fabrics of man-made filament yarn – Incorporating rubber thread	Manufacture from single yarn (7)	Weaving	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn , in each case combined with weaving OR Weaving combined with dyeing or with coating or with laminating OR Twisting or texturing combined with weaving <u>provided that</u> the value of the non-twisted/non-textured yarns used does not exceed 47,5% of the ex-works price of the product OR Weaving combined with printing (1)
5407 and 5408 (follow)	– Other	Manufacture from (7): – coir yarn, – natural fibres, – man-made staple fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper or	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn , in each case accompanied by weaving or	(1) The following hypotheses <u>do not qualify under this rule</u> : - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations OR (NEXT PAGE)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5407 and 5408 (follow)	– Other	Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	<p>(FOLLOW UP OF PREVIOUS PAGE)</p> <p>OR</p> <p>Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX COMPROMISE PROPOSAL
5501 to 5507	Man-made staple fibres	Manufacture from chemical materials or textile pulp	Extrusion of man-made fibres	Extrusion of man-made fibres
5508 to 5511	Yarn and sewing thread of man-made staple fibres	Manufacture from (7): – raw silk or silk waste, carded or combed or otherwise prepared for spinning, – natural fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper-making materials	Spinning of natural fibres OR extrusion of man-made fibres accompanied by spinning	Spinning of natural fibres OR extrusion of man-made fibres combined with spinning
5512 to 5516	Woven fabrics of man-made staple fibres:			Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn , in each case combined with weaving OR Weaving combined with dyeing or with coating or with laminating OR Yarn dyeing combined with weaving OR (NEXT PAGE)
	– Incorporating rubber thread	Manufacture from single yarn (7)	Weaving	

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX COMPROMISE PROPOSAL
5512 to 5516 (follow)	– Other	Manufacture from (7): – coir yarn, – natural fibres, – man-made staple fibres, not carded or combed or otherwise prepared for spinning, – chemical materials or textile pulp, or – paper or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn , in each case accompanied by weaving or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	(FOLLOW UP OF PREVIOUS PAGE) OR Weaving combined with printing (1) (1) The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations OR Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product. The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex Chapter 56	Wadding, felt and non-woven; special yarns; twine, cordage, ropes and cables and articles thereof; except for:	Manufacture from (7): – coir yarn, – natural fibres, – chemical materials or textile pulp, or – paper-making materials	Extrusion of man-made fibres accompanied by spinning OR spinning of natural fibres	Extrusion of man-made fibres combined with spinning OR spinning of natural fibres
5601	Wadding of textile materials and articles thereof; textile fibres, not exceeding 5 mm in length (flock), textile dust and mill neps	Manufacture from (7): – coir yarn, – natural fibres, – chemical materials or textile pulp, or – paper-making materials		Extrusion of man-made fibres combined with spinning OR spinning of natural fibres OR Flocking combined with dyeing OR printing OR Coating/Flocking/Laminating/ Metalizing accompanied by at least two other main preparatory or finishing operations (such as calendering, shrink-resistance processes, heat setting, permanent finishing) confers origin provided that at least 52,5% value is added based on ex-works price of the product.
5602	Felt, whether or not impregnated, coated, covered or laminated: – Needleloom felt	Manufacture from (7): – natural fibres, or – chemical materials or textile pulp However: – polypropylene filament of heading 5402, – polypropylene fibres of heading 5503 or 5506, or – polypropylene filament tow of heading 5501, of which the denomination in all cases of a single filament or fibre is less than 9 decitex, may be used, provided that their total value does not exceed 40 % of the ex-works price of the product	Extrusion of man-made fibres accompanied by fabric formation, However: – polypropylene filament of heading 5402, – polypropylene fibres of heading 5503 or 5506, or – polypropylene filament tow of heading 5501, of which the denomination in all cases of a single filament or fibre is less than 9 decitex, may be used, provided that their total value does not exceed 40 % of the ex-works price of the product Or Fabric formation alone in the case of felt made from natural fibres	Extrusion of man-made fibres combined with fabric formation, However: – polypropylene filament of heading 5402, – polypropylene fibres of heading 5503 or 5506, or – polypropylene filament tow of heading 5501, of which the denomination in all cases of a single filament or fibre is less than 9 decitex, may be used, provided that their total value does not exceed 40 % of the ex-works price of the product OR Fabric formation alone in the case of felt made from natural fibres

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
	– Other	Manufacture from (7): – natural fibres, – man-made staple fibres made from casein, or – chemical materials or textile pulp	Extrusion of man-made fibres accompanied by fabric formation, or Fabric formation alone in the case of other felt made from natural fibres	Extrusion of man-made fibres combined with fabric formation, OR Fabric formation alone in the case of other felt made from natural fibres
5603	Nonwovens whether or not impregnated, coated, covered or laminated	Manufacture from (7): – coir yarn, – natural fibres, – chemical materials or textile pulp, or – paper-making materials	Extrusion of man-made fibres, or use of natural fibres, accompanied by nonwoven techniques including needle punching	
560311 to 560314	Nonwovens whether or not impregnated, coated, covered or laminated of man made filament	Manufacture from (7): – coir yarn, – natural fibres, – chemical materials or textile pulp, or – paper-making materials		Manufacture of a sheet, web or batt from directionally or randomly oriented filaments or by extrusion, or by in situ formation of filaments or fibrils, from substances or polymers of natural or man-made origin, followed by bonding into a nonwoven by friction, cohesion and/or adhesion, through one or more mechanical (including hydro-entanglement), thermal or chemical processes
560391 to 560394	Nonwovens whether or not impregnated, coated, covered or laminated of other ...	Manufacture from (7): – coir yarn, – natural fibres, – chemical materials or textile pulp, or – paper-making materials		Manufacture of a sheet, web or batt of directionally or randomly oriented staple fibres and/or chopped yarns, of natural or man-made origin, followed by bonding into a nonwoven by friction, cohesion and/or adhesion, through one or more mechanical (including hydro-entanglement), thermal or chemical processes
5604	Rubber thread and cord, textile covered; textile yarn, and strip and the like of heading 5404 or 5405, impregnated, coated, covered or sheathed with rubber or plastics:			
	– Rubber thread and cord, textile covered	Manufacture from rubber thread or cord, not textile covered	Manufacture from rubber thread or cord, not textile covered	Manufacture from rubber thread or cord, not textile covered

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5604 (follow)	– Other	Manufacture from (7): – natural fibres, not carded or combed or otherwise processed for spinning, – chemical materials or textile pulp, or – paper-making materials	Extrusion of man-made fibres accompanied by spinning or spinning of natural fibres	Extrusion of man-made fibres combined with spinning OR spinning of natural fibres
5605	Metallised yarn, whether or not gimped, being textile yarn, or strip or the like of heading 5404 or 5405, combined with metal in the form of thread, strip or powder or covered with metal	Manufacture from (7): – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, – chemical materials or textile pulp, or – paper-making materials	Extrusion of man-made fibres accompanied by spinning or spinning of natural and/or man-made staple fibres	Extrusion of man-made fibres combined with spinning OR spinning of natural and/or man-made staple fibres
5606	Gimped yarn, and strip and the like of heading 5404 or 5405, gimped (other than those of heading 5605 and gimped horsehair yarn); chenille yarn (including flock chenille yarn); loop wale-yarn	Manufacture from (7): – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, – chemical materials or textile pulp, or – paper-making materials	Extrusion of man-made fibres accompanied by spinning or spinning of natural and/or man-made staple fibres	Extrusion of man-made fibres combined with spinning OR spinning of natural and/or man-made staple fibres OR Spinning combined with flocking OR Flocking combined with dyeing

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
Chapter 57	Carpets and other textile floor coverings:			
	– Of needleloom felt	Manufacture from (7): – natural fibres, or – chemical materials or textile pulp However: – polypropylene filament of heading 5402, – polypropylene fibres of heading 5503 or 5506, or – polypropylene filament tow of heading 5501, of which the denomination in all cases of a single filament or fibre is less than 9 decitex, may be used, provided that their total value does not exceed 40 % of the ex-works price of the product Jute fabric may be used as a backing	Spinning of natural and/or man-made staple fibres OR Extrusion of man-made filament yarn, in each case accompanied by weaving or by tufting or Manufacture from – polypropylene filament of heading 5402, – polypropylene fibres of heading 5503 or 5506, or – polypropylene filament tow of heading 5501, of which the denomination in all cases of a single filament or fibre is less than 9 decitex, may be used, provided that their total value does not exceed 40 % of the ex-works price of the product ► Jute fabric may be used as a backing	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn, in each case combined with weaving OR with tufting OR Manufacture from coir yarn or sisal yarn or jute yarn OR Tufting combined with dyeing or with printing OR Flocking combined with dyeing or with printing OR Extrusion of man-made fibres combined with non-woven techniques including needle punching
	– Of other felt	Manufacture from (7): – natural fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp	Spinning of natural and/or man-made staple fibres OR Extrusion of man-made filament yarn, in each case accompanied by weaving or by tufting	OR <i>[Manufacture from – polypropylene filament of heading 5402, – polypropylene fibres of heading 5503 or 5506, or – polypropylene filament tow of heading 5501, of which the denomination in all cases of a single filament or fibre is less than 9 decitex, may be used, provided that their total value does not exceed 40 % of the ex-works price of the product]</i>
	– Other	Manufacture from (7): – coir yarn or jute yarn, – synthetic or artificial filament yarn, – natural fibres, or – man-made staple fibres, not carded or combed or otherwise processed for spinning Jute fabric may be used as a backing	Spinning of natural and/or man-made staple fibres OR Extrusion of man-made filament yarn, in each case accompanied by weaving or by tufting or Manufacture from coir yarn or sisal yarn or jute yarn (weaving) ► Jute fabric may be used as a backing	► Jute fabric may be used as a backing

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
Special woven fabrics; tufted textile fabrics; lace; tapestries; trimmings; embroidery; except for				
Ex Chapter 58	– Combined with rubber thread	Manufacture from single yarn (7)	Weaving	<p>Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn , in each case combined with weaving OR Weaving combined with dyeing or with flocking or with coating or with laminating OR Flocking combined with dyeing or with printing OR Yarn dyeing combined with weaving OR Weaving combined with printing (1)</p> <p>(1) The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations <p>OR (NEXT PAGE)</p>

HS heading	Description of product	Current rule 18.5.2006 EN Official Journal of the European Union L 131/41	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex Chapter 58 (follow)	– Other	Manufacture from (7): – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn, in each case accompanied by weaving or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	(FOLLOW UP OF PREVIOUS PAGE) OR Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product. The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations
5805	Hand-woven tapestries of the types Gobelins, Flanders, Aubusson, Beauvais and the like, and needle-worked tapestries (for example, petit point, cross stitch), whether or not made up	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product
5810	Embroidery in the piece, in strips or in motif	Manufacture: – from materials of any heading, except that of the product, and – in which the value of all the materials used does not exceed 50 % of the ex-works price of the product	Embroidery in which the value of all the materials used of any heading, except that of the product does not exceed 50 % of the ex-works price of the product	Embroidery in which the value of all the materials used of any heading, except that of the product does not exceed 50 % of the ex-works price of the product

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5901	Textile fabrics coated with gum or amylaceous substances, of a kind used for the outer covers of books or the like; tracing cloth; prepared painting canvas; buckram and similar stiffened textile fabrics of a kind used for hat foundations	Manufacture from yarn	Weaving	Weaving combined with dyeing or with flocking or with coating or with laminating OR Flocking combined with dyeing or with printing.
5902	Tyre cord fabric of high tenacity yarn of nylon or other polyamides, polyesters or viscose rayon			
	Containing not more than 90 % by weight of textile materials	Manufacture from yarn	Weaving	Weaving
	Other	Manufacture from chemical materials or textile pulp	Extrusion of man-made fibres accompanied by weaving	Extrusion of man-made fibres combined with weaving
5903	Textile fabrics impregnated, coated, covered or laminated with plastics, other than those of heading 5902	Manufacture from yarn or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Weaving or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Weaving combined with dyeing or with coating or with laminating OR Weaving combined with printing (1) (1) The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations OR (NEXT PAGE)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5903 (follow)	Textile fabrics impregnated, coated, covered or laminated with plastics, other than those of heading 5902	(see page before)	(see page before)	<p>(FOLLOW UP OF PREVIOUS PAGE)</p> <p>OR</p> <p>Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations
5904	Linoleum, whether or note cut to shape; floor coverings consisting of a coating or covering applied on a textile backing, whether or not cut to shape	Manufacture from yarn (7)	Weaving	Weaving combined with dyeing or with coating or with laminating
5905	Textile wall coverings: – Impregnated, coated, covered or laminated with rubber, plastics or other materials	Manufacture from yarn (7)	Weaving	Weaving combined with dyeing or with coating or with laminating

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5905 (follow)	– Other	<p>Manufacture from (7):</p> <ul style="list-style-type: none"> – coir yarn, – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp <p>or</p> <p>Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product</p>	<p>Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn, in each case accompanied by weaving</p> <p>or</p> <p>Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product</p>	<p>Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn, in each case combined with weaving</p> <p>OR</p> <p>Weaving combined with dyeing or with coating or with laminating</p> <p>OR</p> <p>Weaving combined with printing (1)</p> <p>(1) The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations <p>OR</p> <p>Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5906	Rubberised textile fabrics, other than those of heading 5902:			
	– Knitted or crocheted fabrics	Manufacture from (7): – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp	Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn, in each case accompanied by knitting	Spinning of natural and/or man-made staple fibres OR extrusion of man-made filament yarn, in each case combined with knitting/crocheting OR Knitting/crocheting combined with dyeing or with coating or with laminating OR Yarn dyeing combined with knitting/crocheting OR Coating/Flocking/Laminating/ Metalizing accompanied by at least two other main preparatory or finishing operations (such as calendering, shrink-resistance processes, heat setting, permanent finishing) confer origin provided that at least 52,5% value is added based on the ex-works price of the product.
	– Other fabrics made of synthetic filament yarn, containing more than 90 % by weight of textile materials	Manufacture from chemical materials	Extrusion of man-made fibres accompanied by weaving	Extrusion of man-made fibres combined with weaving
– Other	Manufacture from yarn	Weaving	Weaving combined with dyeing or with coating or with laminating OR Yarn dyeing combined with weaving OR Coating/Flocking/Laminating/ Metalizing accompanied by at least two other main preparatory or finishing operations (such as calendering, shrink-resistance processes, heat setting, permanent finishing) confers origin provided that at least 52,5% value is added based on ex-works price of the product.	

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5907	Textile fabrics otherwise impregnated, coated or covered; painted canvas being theatrical scenery, studio back-cloths or the like	Manufacture from yarn or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Weaving or Printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	<p>Weaving combined with dyeing or with coating or with laminating OR Flocking combined with dyeing or with printing OR Weaving combined with printing (1) (1) The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations <p>OR Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendering, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5908	Textile wicks, woven, plaited or knitted, for lamps, stoves, lighters, candles or the like; incandescent gas mantles and tubular knitted gas mantle fabric therefore, whether or not impregnated:			
	Incandescent gas mantles, impregnated	Manufacture from tubular knitted gas mantle fabric	Manufacture from tubular knitted gas mantle fabric	Manufacture from tubular knitted/crocheted gas mantle fabric
	– Other	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product.
5909 to 5911	Textile articles of a kind suitable for industrial use			
	Polishing discs or rings other than of felt of heading 5911	Manufacture from yarn or waste fabrics or rags of heading 6310	Manufacture from yarn or waste fabrics or rags of heading 6310	Manufacture from yarn or waste fabrics or rags of heading 6310

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5909 to 5911 (follow)	Woven fabrics, of a kind commonly used in papermaking or other technical uses, felted or not, whether or not impregnated or coated, tubular or endless with single or multiple warp and/or weft, or flat woven with multiple warp and/or weft of heading 5911	<p>Manufacture from (7):</p> <ul style="list-style-type: none"> – coir yarn, – the following materials: <ul style="list-style-type: none"> – – yarn of polytetrafluoroethylene (8), – – yarn, multiple, of polyamide, coated impregnated or covered with a phenolic resin, – – yarn of synthetic textile fibres of aromatic polyamides, obtained by polycondensation of <i>m</i>-phenylenediamine and isophthalic acid, – – monofil of polytetrafluoroethylene (8), – – yarn of synthetic textile fibres of poly(<i>p</i>-phenylene terephthalamide), – – glass fibre yarn, coated with phenol resin and gimped with acrylic yarn (8), – – copolyester monofilaments of a polyester and a resin of terephthalic acid and 1,4-cyclohexanediethanol and isophthalic acid, – – natural fibres, – – man-made staple fibres not carded or combed or otherwise processed for spinning, or – – chemical materials or textile pulp 	<p>Extrusion of man-made fibres OR Spinning of natural and/or of man-made staple fibres, in each case accompanied by weaving</p> <p>or</p> <p>Manufacture from coir yarn or sisal yarn or jute yarn (weaving)</p> <p>► The use of the following fibres are allowed (weaving):</p> <ul style="list-style-type: none"> – – coir yarn – – yarn of polytetrafluoroethylene (8), – – yarn, multiple, of polyamide, coated impregnated or covered with a phenolic resin, – – yarn of synthetic textile fibres of aromatic polyamides, obtained by polycondensation of <i>m</i>-phenylenediamine and isophthalic acid, – – monofil of polytetrafluoroethylene (8), – – yarn of synthetic textile fibres of poly(<i>p</i>-phenylene terephthalamide – – glass fibre yarn, coated with phenol resin and gimped with acrylic yarn (8), – – copolyester monofilaments of a polyester and a resin of terephthalic acid and 1,4-cyclohexanediethanol and isophthalic acid, 	<p>Extrusion of man-made fibres or spinning of natural and/or of man-made staple fibres, in each case combined with weaving</p> <p>OR</p> <p>Weaving combined with dyeing or with coating or with laminating</p> <p>OR</p> <p>Coating/Flocking/Laminating/ Metalizing accompanied by at least two other main preparatory or finishing operations (such as calendering, shrink-resistance processes, heat setting, permanent finishing) confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p>

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
5909 to 5911 (follow)	– Other	Manufacture from (7): – coir yarn, – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp	Extrusion of man-made filament yarn OR Spinning of natural or man-made staple fibres, accompanied by weaving.	Extrusion of man-made fibres OR spinning of natural and/or of man-made staple fibres, in each case combined with weaving OR Weaving combined with dyeing or with coating or with laminating OR Coating/Flocking/Laminating/ Metalizing accompanied by at least two other main preparatory or finishing operations (such as calendering, shrink-resistance processes, heat setting, permanent finishing) confers origin provided that at least 52,5% value is added based on ex-works price of the product.

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
Chapter 60	Knitted or crocheted fabrics	Manufacture from (7): – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp	Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn, in each case accompanied by knitting	Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn, in each case combined with knitting/crocheting OR Knitting/crocheting combined with dyeing or with flocking or with coating or with laminating OR Flocking combined with dyeing or with printing OR Yarn dyeing combined with knitting/crocheting OR Twisting or texturing combined with knitting/crocheting provided that the value of the non-twisted/non-textured yarns used does not exceed 47,5% of the ex-works price of the product OR Knitting/crocheting combined with printing (1) (1) The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
Chapter 61	Obtained by sewing together or otherwise assembling, two or more pieces of knitted or crocheted fabric which have been either cut to form or obtained directly to form	Manufacture from yarn (7) (9)	Knitting and making-up (including cutting)	Knitting/crocheting combined with making-up (including cutting)
	Other	Manufacture from (7): – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp	Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn, in each case accompanied by knitting (knitted to shape products)	Spinning of natural and/or man-made staple fibres or extrusion of man-made filament yarn, in each case combined with knitting (Fully-fashioned knitting or knitted to shape products) OR Fully-fashioned knitting (knit to shape products) : knitting and making-up in one operation for all natural and man made fibres

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
Ex Chapter 62	Articles of apparel and clothing accessories, not knitted or crocheted; except for:	Manufacture from yarn (7) (9)	Weaving accompanied by making-up (including cutting) or Making-up preceded by printing accompanied by at least two preparatory finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatising, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product	Weaving combined with making-up (including cutting) OR Making-up preceded by Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatising, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product. The following hypotheses <u>do not qualify under this rule</u> : <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations
ex 6202, ex 6204, ex 6206, ex 6209 and ex 6211	Women's, girls' and babies' clothing and clothing accessories for babies, embroidered	Manufacture from yarn (9) or Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9)	Weaving accompanied by making-up (including cutting) or Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9)	Weaving combined with making-up (including cutting) OR Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex 6210 and ex 6216	Fire-resistant equipment of fabric covered with foil of aluminised polyester	Manufacture from yarn (9) or Manufacture from uncoated fabric, provided that the value of the uncoated fabric used does not exceed 40 % of the ex-works price of the product (9)	Weaving accompanied by making-up (including cutting) or Coating provided that the value of the uncoated fabric used does not exceed 40 % of the ex-works price of the product accompanied by making-up (including cutting)	Weaving combined with making-up (including cutting) OR Coating or laminating provided that the value of the uncoated or unlaminated fabric used does not exceed 40 % of the ex-works price of the product accompanied by making-up (including cutting)
6213 and 6214	Handkerchiefs, shawls, scarves, mufflers, mantillas, veils and the like: – Embroidered	Manufacture from unbleached single yarn (7) (9) or	Weaving accompanied by making-up (including cutting) OR	Weaving combined with making-up (including cutting) OR Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9) OR (NEXT PAGE)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
6213 and 6214 (follow)	– Embroidered (follow)	Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9)	Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9)	<p>(FOLLOW UP OF PREVIOUS PAGE)</p> <p>OR</p> <p>Making-up <u>preceded by</u> Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
6213 and 6214 (follow)	– Other	<p>Manufacture from unbleached single yarn (7) (9) or Making up, followed by printing accompanied by at least two preparatory or finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of all the unprinted goods of headings 6213 and 6214 used does not exceed 47,5 % of the ex-works price of the product</p>	<p>Weaving accompanied by making-up (including cutting) or Making-up <u>preceded</u> by printing accompanied by at least two preparatory finishing operations (such as scouring, bleaching, mercerising, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), provided that the value of the unprinted fabric used does not exceed 47,5 % of the exworks price of the product</p>	<p>Weaving combined with making-up (including cutting) OR Making-up <u>preceded</u> by Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
6217	Other made up clothing accessories; parts of garments or of clothing accessories, other than those of heading 6212:			
6217	– Embroidered	Manufacture from yarn (9) or Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9)	Weaving accompanied by making-up (including cutting) or Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product	<p>Weaving combined with making-up (including cutting) OR Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product (9) OR Making-up <u>preceded by</u> Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</p> <p>The following hypotheses <u>do not qualify under this rule</u>:</p> <ul style="list-style-type: none"> - Fugitive/non-permanent functionalities(including colour, design, technical performance) - Logos whenever they are not integral part of the design - Printing on the selvedge in case this is the origin qualifying characteristic - Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
6217 (follow)	– Fire-resistant equipment of fabric covered with foil of aluminised polyester	Manufacture from yarn (9) or Manufacture from uncoated fabric, provided that the value of the uncoated fabric used does not exceed 40 % of the ex-works price of the product (9)	Weaving accompanied by making-up (including cutting) or Coating provided that the value of the uncoated fabric used does not exceed 40 % of the ex-works price of the product accompanied by making-up (including cutting)	Weaving combined with making-up (including cutting) OR Coating or laminating provided that the value of the uncoated or unlaminated fabric used does not exceed 40 % of the ex-works price of the product accompanied by making-up (including cutting)
	Interlinings for collars and cuffs, cut out	Manufacture: – from materials of any heading, except that of the product, and – in which the value of all the materials used does not exceed 40 % of the ex-works price of the product	Manufacture from materials of any heading, except that of the product, and in which the value of all the materials used does not exceed 40 % of the ex-works price of the product	Manufacture from materials of any heading, except that of the product, and in which the value of all the materials used does not exceed 40 % of the ex-works price of the product
	– Other	Manufacture from yarn (9)	Weaving accompanied by making-up (including cutting)	Weaving combined with making-up (including cutting)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
ex Chapter 63	Other made-up textile articles; sets; worn clothing and worn textile articles; rags; except for:	Manufacture from materials of any heading, except that of the product for:	Manufacture from materials of any heading, except that of the product	Manufacture from materials of any heading, except that of the product
6301 to 6304	Blankets, travelling rugs, bed linen etc.; curtains etc.; other furnishing articles:			
	– Of felt, of nonwovens	Manufacture from (7): – natural fibres, or – chemical materials or textile pulp	Extrusion of man-made fibres or natural fibres in each case accompanied by non-woven process including needle punching and making-up (including cutting)	Fabric formation through any non-woven process as defined in 560311 to 560314 and 560391 to 560394 accompanied by making-up (including cutting)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
	Other: -- Embroidered	Manufacture from unbleached single yarn (9) (10) or Manufacture from unembroidered fabric (other than knitted or crocheted), provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product	Weaving or knitting accompanied by making-up (including cutting) or Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product	Weaving or knitting/crocheting combined with making-up (including cutting) OR Manufacture from unembroidered fabric, provided that the value of the unembroidered fabric used does not exceed 40 % of the ex-works price of the product OR <i>Making-up preceded by Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</i> <i>The following hypotheses do not qualify under this rule:</i> <ul style="list-style-type: none"> - <i>Fugitive/non-permanent functionalities (including colour, design, technical performance)</i> - <i>Logos whenever they are not integral part of the design</i> - <i>Printing on the selvedge in case this is the origin qualifying characteristic</i> - <i>Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations</i>

HS heading	Description of product	Current rule 18.5.2006 EN Official Journal of the European Union L 131/41	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
	-- Other	Manufacture from unbleached single yarn (9) (10)	Weaving or knitting accompanied by making-up (including cutting)	<p>Weaving or knitting/crocheting combined with making-up (including cutting)</p> <p>OR</p> <p><i>Making-up preceded by Printing, defined as a technique by which an objectively assessed function, like colour, design, technical performance, is given to a textile substrate with a permanent character, using screen, roller, digital or transfer techniques, accompanied by at least two preparatory/finishing operations (such as scouring, bleaching, mercerizing, heat setting, raising, calendaring, shrink resistance processing, permanent finishing, decatizing, impregnating, mending and burling), confers origin provided that at least 52,5% value is added based on ex-works price of the product.</i></p> <p><i>The following hypotheses do not qualify under this rule:</i></p> <ul style="list-style-type: none"> - <i>Fugitive/non-permanent functionalities (including colour, design, technical performance)</i> - <i>Logos whenever they are not integral part of the design</i> - <i>Printing on the selvedge in case this is the origin qualifying characteristic</i> - <i>Preparatory/finishing operations such as washing, dressing will not be considered as origin qualifying operations</i>
6305	Sacks and bags, of a kind used for the packing of goods	Manufacture from (7): – natural fibres, – man-made staple fibres, not carded or combed or otherwise processed for spinning, or – chemical materials or textile pulp	Extrusion of man-made fibres or spinning of natural and/or man-made staple fibres accompanied by weaving or knitting and making-up (including cutting)	Extrusion of man-made fibres or spinning of natural and/or man-made staple fibres combined with weaving or with knitting and making-up (including cutting)
6306	Tarpaulins, awnings and sunblinds; tents; sails for boats, sailboards or landcraft; camping goods			
	- Of nonwovens	Manufacture from (7) (9): – natural fibres, or – chemical materials or textile pulp	Extrusion of man-made fibres or natural fibres in each case accompanied by any non-woven techniques including needle punching	Fabric formation through any non-woven process as defined in 560311 to 560314 and 560391 to 560394 accompanied by making-up (including cutting)

HS heading	Description of product	Current rule <i>18.5.2006 EN Official Journal of the European Union L 131/41</i>	CURRENT EUROMED RULE EXPRESSED BY PROCESSES	EUROMED RULES OF ORIGIN
(1)	(2)	(3)	Unofficial (3 bis)	EURATEX PROPOSAL
	- Other	Manufacture from unbleached single yarn (7) (9)	Weaving accompanied by making-up (including cutting)	Weaving combined with making-up (including cutting)
6307	Other made-up articles, including dress patterns	Manufacture in which the value of all the materials used does not exceed 40 % of the ex-works price of the product	Manufacture in which the value of all the materials used does not exceed 40 % of the ex-works price of the product	Manufacture in which the value of all the materials used does not exceed 40 % of the ex-works price of the product
6308	Sets consisting of woven fabric and yarn, whether or not with accessories, for making up into rugs, tapestries, embroidered table cloths or serviettes, or similar textile articles, put up in packing's for retail sale	Each item in the set must satisfy the rule which would apply to it if it were not included in the set. However, no originating articles may be incorporated, provided that their total value does not exceed 15 % of the ex-works price of the set	Each item in the set must satisfy the rule which would apply to it if it were not included in the set. However, no originating articles may be incorporated, provided that their total value does not exceed 15 % of the ex-works price of the set	Each item in the set must satisfy the rule which would apply to it if it were not included in the set. However, no originating articles may be incorporated, provided that their total value does not exceed 15 % of the ex-works price of the set

(7) For special conditions relating to products made of a mixture of textile materials, see Introductory Note 5.

(8) The use of this material is restricted to the manufacture of woven fabrics of a kind used in paper-making machinery.

(9) See Introductory Note 6.

(10) For knitted or crocheted articles, not elastic or rubberised, obtained by sewing or assembling pieces of knitted or crocheted fabrics (cut out or knitted directly to shape), see Introductory Note 6.